

Dimensiuni geam


0 Test

Comanda: 0 Test

(F1)


Ochi: 1

1 buc **2750 x 680** *Lowe 4 - F4 - Lowe 4 (44) Argon TPA*








COMANDA TERMOPAN

Nr. crt.	Lat x	Înalt	Cant	Sup (mp2)	Descriere
Lowe 4 - F4 - Lowe 4 (44) Argon TPA					



VEX SMART SINA MICA

NUME CLIENT							
				DATE:		10/5/2025	
DIMESIUNI SISTEM							
SECTIUNE	LUNGIME		NR. STICLE		☒ DESCHIDERE SIMPLA ☐ DESCHIDERE DIN MIJLOC		INALTIME
	2750		4				1970
DESCRIERE STICLA						QTY	UNIT
644	X	1770	mm 4mm +12 +4mm Double Glass			4	Pcs.
						0	
DIMENSIUNI PROFILE							
DESCRIERE PROFILE				DIMENSIUNI		CANTITATE	UNITATE
		B15082-- 42*123 RAIL PR. (TOP)		2727	mm	1	Pcs.
		B15093-- 15*123 RAIL PR. (BOTTOM)		2727	mm	1	Pcs.
		B15083-- 11*123 SIDE PR.		1970	mm	2	Pcs.
		B15085-- 96*26 PANEL PR.		647	mm	8	Pcs.
		B15086-- 31*34 PANEL PULLING PR.		1932	mm	6	Pcs.
		B15087-- 33*19 SIDE LOCK-STRIKER PR.		1955	mm	2	Pcs.
		B15081-- 33*22 HORIZONTAL ADJUSTMENT PROFILE		0	mm	0	Pcs.
		B15099-- 70*44 LOCK PANEL SIDE PROFILE		1932	mm	2	Pcs.
		B15088-- 59*27 CENTER LOCK-STRIKER PR.		0	mm	0	Pcs.