











CUSTOMER'S NAME:							
				DATE:	10/20/2025		
SECTION DIMENSION							
SECTIUNE	LATIME	NUMAR STICLE	☒ DESCHIDERE ☐ DESCHIDERE DE LA JUMATATE			INALTIME	
	1660	2				2360	
	1660	The width measure occuring due to the diffremce created through the rounding up of the numbers					
IF YOU WANT TO MAKE ONE RAIL (42*36 ONE RAIL PR.) BOX "1" WRITE PLEASE.							
IF THERE ARE 33*22 HORIZONTAL ADJUSTMENT PROFILES, WRITE BOX "1" PLEASE.							
GLASS DIMENSIONS							
GLASS DESCRIPTION					QTY	UNIT	
744	X	2140	mm 4mm +12 +4mm Double Glass			2	Pcs.
						0	
PROFILE DIMENSION							
PROFILE DESCRIPTION				DIMENSIONS		QTY	UNIT
	B15082-- 42*123 RAIL PR. (TOP)			1638	mm	2	Pcs.
	B15083-- 11*123 SIDE PR.			2360	mm	2	Pcs.
	B15085-- 96*26 PANEL PR.			747	mm	4	Pcs.
	B15086-- 31*34 PANEL PULLING PR.			2302	mm	2	Pcs.
	B15087-- 33*19 SIDE LOCK-STRIKER PR.			2338	mm	2	Pcs.
	B15081-- 33*22 HORIZONTAL ADJUSTMENT PROFILE			0	mm	0	Pcs.
	B15099-- 70*44 LOCK PANEL SIDE PROFILE			2302	mm	2	Pcs.
	B15088-- 59*27 CENTER LOCK-STRIKER PR.			0	mm	0	Pcs.
	B15092-- 42*36 ONE RAIL PR.	Two Side 45° Cutting	Top - Bottom	0	mm	0	Pcs.
			Sides	0	mm	0	Pcs.
	B15091-- 8*11 ONE RAIL CAP PR.	Two Side 45° Cutting	Top - Bottom	0	mm	0	Pcs.
			Sides	0	mm	0	Pcs.







CUSTOMER'S NAME:							
				DATE:	10/20/2025		
SECTION DIMENSION							
SECTIUNE	LATIME	NUMAR STICLE	☒ DESCHIDERE ☐ DESCHIDERE DE LA JUMATATE		INALTIME		
	2340	3			2370		
	2341	The width measure occuring due to the diffrence created through the rounding up of the numbers					
IF YOU WANT TO MAKE ONE RAIL (42*36 ONE RAIL PR.) BOX "1" WRITE PLEASE.							
IF THERE ARE 33*22 HORIZONTAL ADJUSTMENT PROFILES, WRITE BOX "1" PLEASE.							
GLASS DIMENSIONS							
GLASS DESCRIPTION					QTY	UNIT	
723	X	2150	mm 4mm +12 +4mm Double Glass		3	Pcs.	
					0		
PROFILE DIMENSION							
PROFILE DESCRIPTION				DIMENSIONS		QTY	UNIT
	B15082-- 42*123 RAIL PR. (TOP)			2319	mm	2	Pcs.
	B15083-- 11*123 SIDE PR.			2370	mm	2	Pcs.
	B15085-- 96*26 PANEL PR.			726	mm	6	Pcs.
	B15086-- 31*34 PANEL PULLING PR.			2312	mm	4	Pcs.
	B15087-- 33*19 SIDE LOCK-STRIKER PR.			2348	mm	2	Pcs.
	B15081-- 33*22 HORIZONTAL ADJUSTMENT PROFILE			0	mm	0	Pcs.
	B15099-- 70*44 LOCK PANEL SIDE PROFILE			2312	mm	2	Pcs.
	B15088-- 59*27 CENTER LOCK-STRIKER PR.			0	mm	0	Pcs.
	B15092-- 42*36 ONE RAIL PR.	Two Side 45° Cutting	Top - Bottom	0	mm	0	Pcs.
			Sides	0	mm	0	Pcs.
	B15091-- 8*11 ONE RAIL CAP PR.	Two Side 45° Cutting	Top - Bottom	0	mm	0	Pcs.
			Sides	0	mm	0	Pcs.

CUSTOMER'S NAME:							
				DATE:	10/20/2025		
SECTION DIMENSION							
SECTIUNE	LATIME	NUMAR STICLE	☒ DESCHIDERE ☐ DESCHIDERE DE LA JUMATATE			INALTIME	
	3150	4				2340	
	3149	The width measure occuring due to the diffremce created through the rounding up of the numbers					
IF YOU WANT TO MAKE ONE RAIL (42*36 ONE RAIL PR.) BOX "1" WRITE PLEASE.							
IF THERE ARE 33*22 HORIZONTAL ADJUSTMENT PROFILES, WRITE BOX "1" PLEASE.							
GLASS DIMENSIONS							
GLASS DESCRIPTION					QTY	UNIT	
744	X	2120	mm 4mm +12 +4mm Double Glass			4	Pcs.
						0	
PROFILE DIMENSION							
PROFILE DESCRIPTION				DIMENSIONS		QTY	UNIT
	B15082-- 42*123 RAIL PR. (TOP)			3127	mm	2	Pcs.
	B15083-- 11*123 SIDE PR.			2340	mm	2	Pcs.
	B15085-- 96*26 PANEL PR.			747	mm	8	Pcs.
	B15086-- 31*34 PANEL PULLING PR.			2282	mm	6	Pcs.
	B15087-- 33*19 SIDE LOCK-STRIKER PR.			2318	mm	2	Pcs.
	B15081-- 33*22 HORIZONTAL ADJUSTMENT PROFILE			0	mm	0	Pcs.
	B15099-- 70*44 LOCK PANEL SIDE PROFILE			2282	mm	2	Pcs.
	B15088-- 59*27 CENTER LOCK-STRIKER PR.			0	mm	0	Pcs.
	B15092-- 42*36 ONE RAIL PR.	Two Side 45° Cutting	Top - Bottom	0	mm	0	Pcs.
			Sides	0	mm	0	Pcs.
	B15091-- 8*11 ONE RAIL CAP PR.	Two Side 45° Cutting	Top - Bottom	0	mm	0	Pcs.
			Sides	0	mm	0	Pcs.






CUSTOMER'S NAME:							
				DATE:	10/20/2025		
SECTION DIMENSION							
SECTIUNE	LATIME	NUMAR STICLE	☒ DESCHIDERE ☐ DESCHIDERE DE LA JUMATATE		INALTIME		
	3170	4			2360		
	3169	The width measure occuring due to the diffremce created through the rounding up of the numbers					
IF YOU WANT TO MAKE ONE RAIL (42*36 ONE RAIL PR.) BOX "1" WRITE PLEASE.							
IF THERE ARE 33*22 HORIZONTAL ADJUSTMENT PROFILES, WRITE BOX "1" PLEASE.							
GLASS DIMENSIONS							
GLASS DESCRIPTION					QTY	UNIT	
749	X	2140	mm 4mm +12 +4mm Double Glass		4	Pcs.	
					0		
PROFILE DIMENSION							
PROFILE DESCRIPTION				DIMENSIONS		QTY	UNIT
	B15082-- 42*123 RAIL PR. (TOP)			3147	mm	2	Pcs.
	B15083-- 11*123 SIDE PR.			2360	mm	2	Pcs.
	B15085-- 96*26 PANEL PR.			752	mm	8	Pcs.
	B15086-- 31*34 PANEL PULLING PR.			2302	mm	6	Pcs.
	B15087-- 33*19 SIDE LOCK-STRIKER PR.			2338	mm	2	Pcs.
	B15081-- 33*22 HORIZONTAL ADJUSTMENT PROFILE			0	mm	0	Pcs.
	B15099-- 70*44 LOCK PANEL SIDE PROFILE			2302	mm	2	Pcs.
	B15088-- 59*27 CENTER LOCK-STRIKER PR.			0	mm	0	Pcs.
	B15092-- 42*36 ONE RAIL PR.	Two Side 45° Cutting	Top - Bottom	0	mm	0	Pcs.
			Sides	0	mm	0	Pcs.
	B15091-- 8*11 ONE RAIL CAP PR.	Two Side 45° Cutting	Top - Bottom	0	mm	0	Pcs.
			Sides	0	mm	0	Pcs.







CUSTOMER'S NAME:							
				DATE:	10/20/2025		
SECTION DIMENSION							
SECTIUNE	LATIME	NUMAR STICLE	☒ DESCHIDERE ☐ DESCHIDERE DE LA JUMATATE		INALTIME		
	3080	4			2360		
	3081	The width measure occuring due to the diffremce created through the rounding up of the numbers					
IF YOU WANT TO MAKE ONE RAIL (42*36 ONE RAIL PR.) BOX "1" WRITE PLEASE.							
IF THERE ARE 33*22 HORIZONTAL ADJUSTMENT PROFILES, WRITE BOX "1" PLEASE.							
GLASS DIMENSIONS							
GLASS DESCRIPTION					QTY	UNIT	
727	X	2140	mm 4mm +12 +4mm Double Glass		4	Pcs.	
					0		
PROFILE DIMENSION							
PROFILE DESCRIPTION				DIMENSIONS		QTY	UNIT
	B15082-- 42*123 RAIL PR. (TOP)			3059	mm	2	Pcs.
	B15083-- 11*123 SIDE PR.			2360	mm	2	Pcs.
	B15085-- 96*26 PANEL PR.			730	mm	8	Pcs.
	B15086-- 31*34 PANEL PULLING PR.			2302	mm	6	Pcs.
	B15087-- 33*19 SIDE LOCK-STRIKER PR.			2338	mm	2	Pcs.
	B15081-- 33*22 HORIZONTAL ADJUSTMENT PROFILE			0	mm	0	Pcs.
	B15099-- 70*44 LOCK PANEL SIDE PROFILE			2302	mm	2	Pcs.
	B15088-- 59*27 CENTER LOCK-STRIKER PR.			0	mm	0	Pcs.
	B15092-- 42*36 ONE RAIL PR.	Two Side 45° Cutting	Top - Bottom	0	mm	0	Pcs.
			Sides	0	mm	0	Pcs.
	B15091-- 8*11 ONE RAIL CAP PR.	Two Side 45° Cutting	Top - Bottom	0	mm	0	Pcs.
			Sides	0	mm	0	Pcs.

VEX SMART SINA MICA

NUME CLIENT							
				DATE:		10/20/2025	
DIMESIUNI SISTEM							
SECTIUNE	LUNGIME		NR. STICLE		☒ DESCHIDERE SIMPLA ☐ DESCHIDERE DIN MIJLOC		INALTIME
	1630		2				2340
DESCRIERE STICLA						QTY	UNIT
729	X	2140	mm 4mm +12 +4mm Double Glass			2	Pcs.
						0	
DIMENSIUNI PROFILE							
DESCRIERE PROFILE				DIMENSIUNI		CANTITATE	UNITATE
		B15082-- 42*123 RAIL PR. (TOP)		1608	mm	1	Pcs.
		B15093-- 15*123 RAIL PR. (BOTTOM)		1608	mm	1	Pcs.
		B15083-- 11*123 SIDE PR.		2340	mm	2	Pcs.
		B15085-- 96*26 PANEL PR.		732	mm	4	Pcs.
		B15086-- 31*34 PANEL PULLING PR.		2302	mm	2	Pcs.
		B15087-- 33*19 SIDE LOCK-STRIKER PR.		2325	mm	2	Pcs.
		B15081-- 33*22 HORIZONTAL ADJUSTMENT PROFILE		0	mm	0	Pcs.
		B15099-- 70*44 LOCK PANEL SIDE PROFILE		2302	mm	2	Pcs.
		B15088-- 59*27 CENTER LOCK-STRIKER PR.		0	mm	0	Pcs.

VEX SMART SINA MICA

NUME CLIENT							
				DATE:		10/20/2025	
DIMESIUNI SISTEM							
SECTIUNE	LUNGIME		NR. STICLE		☒ DESCHIDERE SIMPLA ☐ DESCHIDERE DIN MIJLOC		INALTIME
	1650		2				2325
DESCRIERE STICLA						QTY	UNIT
739	X	2125	mm 4mm +12 +4mm Double Glass			2	Pcs.
						0	
DIMENSIUNI PROFILE							
DESCRIERE PROFILE				DIMENSIUNI		CANTITATE	UNITATE
		B15082-- 42*123 RAIL PR. (TOP)		1628	mm	1	Pcs.
		B15093-- 15*123 RAIL PR. (BOTTOM)		1628	mm	1	Pcs.
		B15083-- 11*123 SIDE PR.		2325	mm	2	Pcs.
		B15085-- 96*26 PANEL PR.		742	mm	4	Pcs.
		B15086-- 31*34 PANEL PULLING PR.		2287	mm	2	Pcs.
		B15087-- 33*19 SIDE LOCK-STRIKER PR.		2310	mm	2	Pcs.
		B15081-- 33*22 HORIZONTAL ADJUSTMENT PROFILE		0	mm	0	Pcs.
		B15099-- 70*44 LOCK PANEL SIDE PROFILE		2287	mm	2	Pcs.
		B15088-- 59*27 CENTER LOCK-STRIKER PR.		0	mm	0	Pcs.

NUME CLIENT							
				DATE:		10/20/2025	
DIMESIUNI SISTEM							
SECTIUNE	LUNGIME		NR. STICLE		☐ DESCHIDERE SIMPLA ☒ DESCHIDERE DIN MIJLOC		INALTIME
	5720		8				2360
DESCRIERE STICLA						QTY	UNIT
682	X	2160	mm 4mm +12 +4mm Double Glass			8	Pcs.
						0	
DIMENSIUNI PROFILE							
DESCRIERE PROFILE				DIMENSIUNI		CANTITATE	UNITATE
		B15082-- 42*123 RAIL PR. (TOP)		5698	mm	1	Pcs.
		B15093-- 15*123 RAIL PR. (BOTTOM)		5698	mm	1	Pcs.
		B15083-- 11*123 SIDE PR.		2360	mm	2	Pcs.
		B15085-- 96*26 PANEL PR.		685	mm	16	Pcs.
		B15086-- 31*34 PANEL PULLING PR.		2322	mm	12	Pcs.
		B15087-- 33*19 SIDE LOCK-STRIKER PR.		2345	mm	2	Pcs.
		B15081-- 33*22 HORIZONTAL ADJUSTMENT PROFILE		0	mm	0	Pcs.
		B15099-- 70*44 LOCK PANEL SIDE PROFILE		2322	mm	3	Pcs.
		B15088-- 59*27 CENTER LOCK-STRIKER PR.		2322	mm	1	Pcs.