





















CUSTOMER'S NAME:							
			DATE:	4/4/2024			
SECTION DIMENSION							
SECTION	WIDTH	THE # OF GLASS	☒ Yan Birleşim Side Openning One ☐ Orta Birleşim Side Opening Two	HEIGHT			
	3540	5		2580			
	3539	The width measure occuring due to the diffremce created through the rounding up of the numbers					
RAY TİPİ				5 RAYLI SİSTEM			
WRITE 1 IF THERE IS NO (B15083-- 11*123 SIDE PR.)							
LEFT LOCK SET		SMART LOCK SIDE SET 70MM (ATTACH-DETACH)					
RIGHT LOCK SET		SMART LOCK SIDE SET 70MM (ATTACH-DETACH)					
GLASS DIMENSIONS							
GLASS DESCRIPTION				QTY	UNIT		
708	☒	2486	mm 10 mm, Tempered Glass	3	Pcs.		
708	☒	2486	mm 10 mm, Tempered Glass with Hole	2	Pcs.		
v.250823.1.1							
PROFILE DIMENSION							
PROFILE DESCRIPTION			DIMENSIONS		QTY	UNIT	
	FALSE		3517	mm	1	Pcs.	
	FALSE		3517	mm	1	Pcs.	
	B15083-- 11*123 SIDE PR.		2580	mm	2	Pcs.	
	B15160-- 25*27 HORIZONTAL ADJUSTMENT PROFILE		2517	mm	2	Pcs.	
	B15161-- 21*26 LOCK-STRIKER PROFILE		2517	mm	2	Pcs.	
	B15159-- 16*67 PANEL PROFILE 10 MM		SLIDING PANEL	708	mm	3	Pcs.
			END PANEL LEFT	694	mm	1	Pcs.
			MIDDLE	0	mm	0	Pcs.
			END PANEL RIGHT	694	mm	1	Pcs.
	B15162-- 20*9 PANEL SIDE PROFILE 10 MM		2444	mm	4	Pcs.	
	B15184-- 36*39 HANDLE PULLING LOCK-STRIKER PROFILE 10 MM			mm	0	Pcs.	
	B15173-- 27*75 SIDE LOCK PROFİLİ			mm	0	Pcs.	




CUSTOMER'S NAME:							
		DATE:	4/4/2024				
SECTION DIMENSION							
SECTION	WIDTH	THE # OF GLASS	☒ Yan Birleşim Side Openning One ☐ Orta Birleşim Side Opening Two	HEIGHT			
	3550	5		2580			
	3549	The width measure occuring due to the diffremce created through the rounding up of the numbers					
RAY TİPİ				5 RAYLI SİSTEM			
WRITE 1 IF THERE IS NO (B15083-- 11*123 SIDE PR.)							
LEFT LOCK SET		SMART LOCK SIDE SET 70MM (ATTACH-DETACH)					
RIGHT LOCK SET		SMART LOCK SIDE SET 70MM (ATTACH-DETACH)					
GLASS DIMENSIONS							
GLASS DESCRIPTION				QTY	UNIT		
710	☒	2486	mm 10 mm, Tempered Glass	3	Pcs.		
710	☒	2486	mm 10 mm, Tempered Glass with Hole	2	Pcs.		
v.250823.1.1							
PROFILE DIMENSION							
PROFILE DESCRIPTION			DIMENSIONS		QTY	UNIT	
	FALSE		3527	mm	1	Pcs.	
	FALSE		3527	mm	1	Pcs.	
	B15083-- 11*123 SIDE PR.		2580	mm	2	Pcs.	
	B15160-- 25*27 HORIZONTAL ADJUSTMENT PROFILE		2517	mm	2	Pcs.	
	B15161-- 21*26 LOCK-STRIKER PROFILE		2517	mm	2	Pcs.	
	B15159-- 16*67 PANEL PROFILE 10 MM		SLIDING PANEL	710	mm	3	Pcs.
			END PANEL LEFT	696	mm	1	Pcs.
			MIDDLE	0	mm	0	Pcs.
			END PANEL RIGHT	696	mm	1	Pcs.
	B15162-- 20*9 PANEL SIDE PROFILE 10 MM		2444	mm	4	Pcs.	
	B15184-- 36*39 HANDLE PULLING LOCK-STRIKER PROFILE 10 MM			mm	0	Pcs.	
	B15173-- 27*75 SIDE LOCK PROFİLİ			mm	0	Pcs.	




CUSTOMER'S NAME:							
		DATE:	4/4/2024				
SECTION DIMENSION							
SECTION	WIDTH	THE # OF GLASS	☒ Yan Birleşim Side Openning One ☐ Orta Birleşim Side Opening Two	HEIGHT			
	2550	3		2580			
	2551	The width measure occuring due to the diffremce created through the rounding up of the numbers					
RAY TİPİ				5 RAYLI SİSTEM			
WRITE 1 IF THERE IS NO (B15083-- 11*123 SIDE PR.)							
LEFT LOCK SET		SMART LOCK SIDE SET 70MM (ATTACH-DETACH)					
RIGHT LOCK SET		SMART LOCK SIDE SET 70MM (ATTACH-DETACH)					
GLASS DIMENSIONS							
GLASS DESCRIPTION				QTY	UNIT		
838	X	2486	mm 10 mm, Tempered Glass	1	Pcs.		
838	X	2486	mm 10 mm, Tempered Glass with Hole	2	Pcs.		
v.250823.1.1							
PROFILE DIMENSION							
PROFILE DESCRIPTION			DIMENSIONS		QTY	UNIT	
	FALSE		2529	mm	1	Pcs.	
	FALSE		2529	mm	1	Pcs.	
	B15083-- 11*123 SIDE PR.		2580	mm	2	Pcs.	
	B15160-- 25*27 HORIZONTAL ADJUSTMENT PROFILE		2517	mm	2	Pcs.	
	B15161-- 21*26 LOCK-STRIKER PROFILE		2517	mm	2	Pcs.	
	B15159-- 16*67 PANEL PROFILE 10 MM		SLIDING PANEL	838	mm	1	Pcs.
			END PANEL LEFT	824	mm	1	Pcs.
			MIDDLE	0	mm	0	Pcs.
			END PANEL RIGHT	824	mm	1	Pcs.
	B15162-- 20*9 PANEL SIDE PROFILE 10 MM		2444	mm	2	Pcs.	
	B15184-- 36*39 HANDLE PULLING LOCK-STRIKER PROFILE 10 MM			mm	0	Pcs.	
	B15173-- 27*75 SIDE LOCK PROFİLİ			mm	0	Pcs.	

CUSTOMER'S NAME:							
		DATE:	4/4/2024				
SECTION DIMENSION							
SECTION	WIDTH	THE # OF GLASS	☒ Yan Birleşim Side Openning One ☐ Orta Birleşim Side Opening Two	HEIGHT			
	2550	3		2580			
	2551	The width measure occuring due to the diffremce created through the rounding up of the numbers					
RAY TİPİ				5 RAYLI SİSTEM			
WRITE 1 IF THERE IS NO (B15083-- 11*123 SIDE PR.)							
LEFT LOCK SET		SMART LOCK SIDE SET 70MM (ATTACH-DETACH)					
RIGHT LOCK SET		SMART LOCK SIDE SET 70MM (ATTACH-DETACH)					
GLASS DIMENSIONS							
GLASS DESCRIPTION				QTY	UNIT		
838	X	2486	mm 10 mm, Tempered Glass	1	Pcs.		
838	X	2486	mm 10 mm, Tempered Glass with Hole	2	Pcs.		
v.250823.1.1							
PROFILE DIMENSION							
PROFILE DESCRIPTION			DIMENSIONS		QTY	UNIT	
	FALSE		2529	mm	1	Pcs.	
	FALSE		2529	mm	1	Pcs.	
	B15083-- 11*123 SIDE PR.		2580	mm	2	Pcs.	
	B15160-- 25*27 HORIZONTAL ADJUSTMENT PROFILE		2517	mm	2	Pcs.	
	B15161-- 21*26 LOCK-STRIKER PROFILE		2517	mm	2	Pcs.	
	B15159-- 16*67 PANEL PROFILE 10 MM		SLIDING PANEL	838	mm	1	Pcs.
			END PANEL LEFT	824	mm	1	Pcs.
			MIDDLE	0	mm	0	Pcs.
			END PANEL RIGHT	824	mm	1	Pcs.
	B15162-- 20*9 PANEL SIDE PROFILE 10 MM		2444	mm	2	Pcs.	
	B15184-- 36*39 HANDLE PULLING LOCK-STRIKER PROFILE 10 MM			mm	0	Pcs.	
	B15173-- 27*75 SIDE LOCK PROFİLİ			mm	0	Pcs.	

CUSTOMER'S NAME:							
			DATE:	4/4/2024			
SECTION DIMENSION							
SECTION	WIDTH	THE # OF GLASS	☒ Yan Birleşim Side Openning One ☐ Orta Birleşim Side Opening Two	HEIGHT			
	2060	3		2580			
	2059	The width measure occuring due to the diffremce created through the rounding up of the numbers					
RAY TİPİ				5 RAYLI SİSTEM			
WRITE 1 IF THERE IS NO (B15083-- 11*123 SIDE PR.)							
LEFT LOCK SET		SMART LOCK SIDE SET 70MM (ATTACH-DETACH)					
RIGHT LOCK SET		SMART LOCK SIDE SET 70MM (ATTACH-DETACH)					
GLASS DIMENSIONS							
GLASS DESCRIPTION				QTY	UNIT		
674	☒	2486	mm 10 mm, Tempered Glass	1	Pcs.		
674	☒	2486	mm 10 mm, Tempered Glass with Hole	2	Pcs.		
v.250823.1.1							
PROFILE DIMENSION							
PROFILE DESCRIPTION			DIMENSIONS		QTY	UNIT	
	FALSE		2037	mm	1	Pcs.	
	FALSE		2037	mm	1	Pcs.	
	B15083-- 11*123 SIDE PR.		2580	mm	2	Pcs.	
	B15160-- 25*27 HORIZONTAL ADJUSTMENT PROFILE		2517	mm	2	Pcs.	
	B15161-- 21*26 LOCK-STRIKER PROFILE		2517	mm	2	Pcs.	
	B15159-- 16*67 PANEL PROFILE 10 MM		SLIDING PANEL	674	mm	1	Pcs.
			END PANEL LEFT	660	mm	1	Pcs.
			MIDDLE	0	mm	0	Pcs.
			END PANEL RIGHT	660	mm	1	Pcs.
	B15162-- 20*9 PANEL SIDE PROFILE 10 MM		2444	mm	2	Pcs.	
	B15184-- 36*39 HANDLE PULLING LOCK-STRIKER PROFILE 10 MM			mm	0	Pcs.	
	B15173-- 27*75 SIDE LOCK PROFİLİ			mm	0	Pcs.	

CUSTOMER'S NAME:							
			DATE:	4/4/2024			
SECTION DIMENSION							
SECTION	WIDTH	THE # OF GLASS	☒ Yan Birleşim Side Openning One ☐ Orta Birleşim Side Opening Two	HEIGHT			
	2060	3		2580			
	2059	The width measure occuring due to the diffremce created through the rounding up of the numbers					
RAY TİPİ				5 RAYLI SİSTEM			
WRITE 1 IF THERE IS NO (B15083-- 11*123 SIDE PR.)							
LEFT LOCK SET		SMART LOCK SIDE SET 70MM (ATTACH-DETACH)					
RIGHT LOCK SET		SMART LOCK SIDE SET 70MM (ATTACH-DETACH)					
GLASS DIMENSIONS							
GLASS DESCRIPTION				QTY	UNIT		
674	☒	2486	mm 10 mm, Tempered Glass	1	Pcs.		
674	☒	2486	mm 10 mm, Tempered Glass with Hole	2	Pcs.		
v.250823.1.1							
PROFILE DIMENSION							
PROFILE DESCRIPTION			DIMENSIONS		QTY	UNIT	
	FALSE		2037	mm	1	Pcs.	
	FALSE		2037	mm	1	Pcs.	
	B15083-- 11*123 SIDE PR.		2580	mm	2	Pcs.	
	B15160-- 25*27 HORIZONTAL ADJUSTMENT PROFILE		2517	mm	2	Pcs.	
	B15161-- 21*26 LOCK-STRIKER PROFILE		2517	mm	2	Pcs.	
	B15159-- 16*67 PANEL PROFILE 10 MM		SLIDING PANEL	674	mm	1	Pcs.
			END PANEL LEFT	660	mm	1	Pcs.
			MIDDLE	0	mm	0	Pcs.
			END PANEL RIGHT	660	mm	1	Pcs.
	B15162-- 20*9 PANEL SIDE PROFILE 10 MM		2444	mm	2	Pcs.	
	B15184-- 36*39 HANDLE PULLING LOCK-STRIKER PROFILE 10 MM			mm	0	Pcs.	
	B15173-- 27*75 SIDE LOCK PROFİLİ			mm	0	Pcs.	

CUSTOMER'S NAME:							
			DATE:	4/4/2024			
SECTION DIMENSION							
SECTION	WIDTH	THE # OF GLASS	☒ Yan Birleşim Side Openning One ☐ Orta Birleşim Side Opening Two	HEIGHT			
	3560	5		2580			
	3559	The width measure occuring due to the diffremce created through the rounding up of the numbers					
RAY TİPİ				5 RAYLI SİSTEM			
WRITE 1 IF THERE IS NO (B15083-- 11*123 SIDE PR.)							
LEFT LOCK SET		SMART LOCK SIDE SET 70MM (ATTACH-DETACH)					
RIGHT LOCK SET		SMART LOCK SIDE SET 70MM (ATTACH-DETACH)					
GLASS DIMENSIONS							
GLASS DESCRIPTION				QTY	UNIT		
712	X	2486	mm 10 mm, Tempered Glass	3	Pcs.		
712	X	2486	mm 10 mm, Tempered Glass with Hole	2	Pcs.		
v.250823.1.1							
PROFILE DIMENSION							
PROFILE DESCRIPTION			DIMENSIONS		QTY	UNIT	
	FALSE		3537	mm	1	Pcs.	
	FALSE		3537	mm	1	Pcs.	
	B15083-- 11*123 SIDE PR.		2580	mm	2	Pcs.	
	B15160-- 25*27 HORIZONTAL ADJUSTMENT PROFILE		2517	mm	2	Pcs.	
	B15161-- 21*26 LOCK-STRIKER PROFILE		2517	mm	2	Pcs.	
	B15159-- 16*67 PANEL PROFILE 10 MM		SLIDING PANEL	712	mm	3	Pcs.
			END PANEL LEFT	698	mm	1	Pcs.
			MIDDLE	0	mm	0	Pcs.
			END PANEL RIGHT	698	mm	1	Pcs.
	B15162-- 20*9 PANEL SIDE PROFILE 10 MM		2444	mm	4	Pcs.	
	B15184-- 36*39 HANDLE PULLING LOCK-STRIKER PROFILE 10 MM			mm	0	Pcs.	
	B15173-- 27*75 SIDE LOCK PROFİLİ			mm	0	Pcs.	

CUSTOMER'S NAME:							
			DATE:	4/4/2024			
SECTION DIMENSION							
SECTION	WIDTH	THE # OF GLASS	☒ Yan Birleşim Side Openning One ☐ Orta Birleşim Side Opening Two	HEIGHT			
	3540	5		2580			
	3539	The width measure occuring due to the diffremce created through the rounding up of the numbers					
RAY TİPİ				5 RAYLI SİSTEM			
WRITE 1 IF THERE IS NO (B15083-- 11*123 SIDE PR.)							
LEFT LOCK SET		SMART LOCK SIDE SET 70MM (ATTACH-DETACH)					
RIGHT LOCK SET		SMART LOCK SIDE SET 70MM (ATTACH-DETACH)					
GLASS DIMENSIONS							
GLASS DESCRIPTION				QTY	UNIT		
708	☒	2486	mm 10 mm, Tempered Glass	3	Pcs.		
708	☒	2486	mm 10 mm, Tempered Glass with Hole	2	Pcs.		
v.250823.1.1							
PROFILE DIMENSION							
PROFILE DESCRIPTION			DIMENSIONS		QTY	UNIT	
	FALSE		3517	mm	1	Pcs.	
	FALSE		3517	mm	1	Pcs.	
	B15083-- 11*123 SIDE PR.		2580	mm	2	Pcs.	
	B15160-- 25*27 HORIZONTAL ADJUSTMENT PROFILE		2517	mm	2	Pcs.	
	B15161-- 21*26 LOCK-STRIKER PROFILE		2517	mm	2	Pcs.	
	B15159-- 16*67 PANEL PROFILE 10 MM		SLIDING PANEL	708	mm	3	Pcs.
			END PANEL LEFT	694	mm	1	Pcs.
			MIDDLE	0	mm	0	Pcs.
			END PANEL RIGHT	694	mm	1	Pcs.
	B15162-- 20*9 PANEL SIDE PROFILE 10 MM		2444	mm	4	Pcs.	
	B15184-- 36*39 HANDLE PULLING LOCK-STRIKER PROFILE 10 MM			mm	0	Pcs.	
	B15173-- 27*75 SIDE LOCK PROFİLİ			mm	0	Pcs.	