

Comanda:
Client:
Referinta:
Proiect:
Telefon :

PETRE EMIL
Balcon 1
INCHIDERE TERASA



7/7/2026


VEX OPTIMA

In Linie



Latura	Lungime L	Inaltime H	Nr. Panouri	Latime Panou	Grosime Sticla	Sticla Securizata	Culoare sistem
L1	2,315 mm	1,265 mm	4p	579 mm	8mm	Clar	ANTRACIT
L2	0 mm	0 mm	0p	0 mm			
L3	0 mm	0 mm	0p	0 mm			
L4	0 mm	0 mm	0p	0 mm			

Suprafata totala	Tip Prag - jos	Decupaje in Sticla	Deschideri Batante:	Tip Deschidere	Imbinari	Profil Balustrada	Corniere	Numar Sisteme
2.9 mp	SINA STANDARD	0 buc	1 panouri	CU LANTISOR	DIN ALUMINIU	FARA PROFIL ADAPTOR	FARA CORNIERE	1 Bucati



Observatii:

SISTEM VEX OPTIMA CU STICLA SECURIZATA 8 MM TRANSPARENTA. MONTAJ PE CARAMIDA LA PARTEA DE JOS ,, STALPI SI GRINDA DE LEMN. VA FI NEVOIE DE COMPRIAND SI SPUMA. CORNIERE 20X20 INTERIOR - EXTERIOR.

Reprezentant: **Elena Dusmanu**

Tel: 0731489414

E-Mail: acitim02ag@gmail.com

Firma: Acitim Construct

ACI

Copyright © 2026 B.D.vex 1.5

www.acitim.ro

Comanda:
Client:
Referinta:
Proiect:
Telefon :

PETRE EMIL
Balcon 4
INCHIDERE TERASA



7/7/2026


VEX OPTIMA

In Linie



Latura	Lungime L	Inaltime H	Nr. Panouri	Latime Panou	Grosime Sticla	Sticla Securizata	Culoare sistem
L1	2,345 mm	1,270 mm	4p	586 mm	8mm	Clar	ANTRACIT
L2	0 mm	0 mm	0p	0 mm			
L3	0 mm	0 mm	0p	0 mm			
L4	0 mm	0 mm	0p	0 mm			

Suprafata totala	Tip Prag - jos	Decupaje in Sticla	Deschideri Batante:	Tip Deschidere	Imbinari	Profil Balustrada	Corniere	Numar Sisteme
3.0 mp	SINA STANDARD	0 buc	1 panouri	CU LANTISOR	DIN ALUMINIU	FARA PROFIL ADAPTOR	FARA CORNIERE	1 Bucati



Observatii:

SISTEM VEX OPTIMA CU STICLA SECURIZATA 8 MM TRANSPARENTA. MONTAJ PE CARAMIDA LA PARTEA DE JOS, STALPI SI GRINZI DE LEMN. VA FI NEVOIE DE COMPRIBAND SI SPUMA. CORNIERE 20X20 INTERIOR - EXTERIOR

Reprezentant: **Elena Dusmanu**

Tel: **0731489414**

E-Mail: **acitim02ag@gmail.com**

Firma: **Acitim Construct**

ACI

Copyright © 2026 B.D.vex 1.5

www.acitim.ro

Comanda:
Client:
Referinta:
Proiect:
Telefon :

PETRE EMIL
Balcon 2
INCHIDERE TERASA



7/7/2026


VEX OPTIMA

In Linie



Latura	Lungime L	Inaltime H	Nr. Panouri	Latime Panou	Grosime Sticla	Sticla Securizata	Culoare sistem
L1	1,090 mm	1,415 mm	2p	545 mm	8mm	Clar	ANTRACIT
L2	0 mm	0 mm	0p	0 mm			
L3	0 mm	0 mm	0p	0 mm			
L4	0 mm	0 mm	0p	0 mm			

Suprafata totala	Tip Prag - jos	Decupaje in Sticla	Deschideri Batante:	Tip Deschidere	Imbinari	Profil Balustrada	Corniere	Numar Sisteme
1.5 mp	SINA STANDARD	0 buc	1 panouri	CU LANTISOR	DIN ALUMINIU	FARA PROFIL ADAPTOR	FARA CORNIERE	1 Bucati



Observatii:

SISTEM VEX OPTIMA CU STICLA SECUIRZATA 8 MM TRANSPARENTA. MONTAJ PE CARAMIDA LA PARTEA DE JOS, STALPI SI GRINZI DE LEMN .VA FI NEVOIE DE COMPRIBAND SI SPUMA. CORNIERE 20X20 - INTERIOR -EXTERIOR

Reprezentant: **Elena Dusmanu**
Tel: 0731489414
E-Mail: acitim02ag@gmail.com
Firma: Acitim Construct

ACI

Copyright © 2026 B.D.vex 1.5

www.acitim.ro

Comanda:
Client:
Referinta:
Proiect:
Telefon :

PETRE EMIL
Panou Fix 1
INCHIDERE TERASA




7/7/2026

Latura	Lungime L	Inaltime H		Sticla Termopan	Sticla Securizata	Tip Profil	Culoare sistem
L1	2,265 mm	1,265 mm		-	Clar	Toc FBT	ANTRACIT
					8mm		-

PANOURI FIXE

Toc FBT



Suprafata

2.9 mp

Numar sisteme

1 Bucati

(H) **1,265 mm**



(L) **2,265 mm**

Observatii:

VA FI NEVOIE DE ADAOS TOC DE 40 MM CARE SE ADAUGA IN PARTEA DREAPTA (PE LUNGIME) .
LUNGIME TOTAL PIESA CU ADAOS = 2305mm. SISTEM FBT CU STICLA SECURIZATA 8 MM
TRANSPARENTA. MONTAJ PE CARAMIDA LA PARTEA DE JOS , STALPI SI GRINZI LEMN. VA FI NEVOIE DE
COMPRIBAND SI SPUMA. CORNIERE 20X20 INTERIOR - EXTERIOR

Reprezentant: **Elena Dusmanu**

Tel: 0731489414

E-Mail: acitim02ag@gmail.com

Firma: Acitim Construct

ACI

Copyright © 2026 B.D.vex 1.5

www.acitim.ro

Comanda:
Client:
Referinta:
Proiect:
Telefon :

PETRE EMIL
Panou Fix 2
INCHIDERE TERASA




7/7/2026

Latura	Lungime L	Inaltime H		Sticla Termopan	Sticla Securizata	Tip Profil	Culoare sistem
L1	890 mm	1,420 mm		-	Clar	Toc FBT	ANTRACIT
					8mm		-

PANOURI FIXE

Toc FBT



Suprafata

1.3 mp

Numar sisteme

1 Bucati

(H) **1,420 mm**



(L) **890 mm**

Observatii:

SISTEM FBT CU STICLA SECURIZATA 8 MM TRANSPARENTA - MONTAJ PE CARAMIDA LA PARTEA DE, GRINZI SI STALPI LEMN . VA FI NEVOIE DE COMPRIBAND SI SPUMA. CORNIERE 20X20 INTERIOR - EXTERIOR

Reprezentant: **Elena Dusmanu**

Tel: 0731489414

E-Mail: acitim02ag@gmail.com

Firma: Acitim Construct

ACI

Copyright © 2026 B.D.vex 1.5

www.acitim.ro

Comanda:
Client:
Referinta:
Proiect:
Telefon :

PETRE EMIL
Balcon 3
INCHIDERE TERASA



7/7/2026


VEX FORTE

In Linie



Latura	Lungime L	Inaltime H	Nr. Panouri	Latime Panou	Grosime Sticla	Sticla Securizata	Culoare sistem
L1	1,370 mm	2,310 mm	3p	457 mm	10mm	Clar	ANTRACIT
L2	0 mm	0 mm	0p	0 mm			
L3	0 mm	0 mm	0p	0 mm			
L4	0 mm	0 mm	0p	0 mm			

Suprafata totala	Tip Prag - jos	Decupaje in Sticla	Deschideri Batante:	Tip Deschidere	Imbinari	Profil Balustrada	Corniere	Numar Sisteme
3.2 mp	PRAG MIC 25mm	0 buc	1 panouri	MANER USA	DIN ALUMINIU	FARA PROFIL ADAPTOR	FARA CORNIERE	1 Bucati



Observatii:

**SISTEM VEX FORTE CU STICLA TRANSPARENTA 10 MM, SINA MICA 25 MM , CU MANER USA + CHEIE .
MONTAJ PE GRESIE LA PARTEA DE JOS , STALPI LEMNI + GRINDA LEMN. VA FI NEVOIE DE COMPRIBAND
SI SPUMA. CORNIERE 20x20 INTERIOR - EXTERIOR .**

Reprezentant: **Elena Dusmanu**

Tel: **0731489414**

E-Mail: **acitim02ag@gmail.com**

Firma: **Acitim Construct**

ACI

Copyright © 2026 B.D.vex 1.5

www.acitim.ro